

Outfall ID	Inspection Date	Inspector	Comments	Flow	Submerged	Water Height above Outfall	Discharge Point Observation	Color	Other Downstream Observation	Color Downstream	Other Observations
OF-13	2019-08-07	DL		None	No						
OF-14	2019-08-07	DL	Incorrect key for lock								
OF-288	2019-08-12	DL	Overgrown	None	No						Lawn clippings
OF-275	2019-08-12	DL		None	No						
OF-273	2019-08-12	DL	Logs, rocks, lawn trimmings	None							Following the path of erosion this is the most likely place for the pipe, unable to directly identify due to excessive debris
OF-4	2019-08-12	DL		None	No						
OF-3	2019-08-12	DL		None	No						
OF-277	2019-08-12	DL	Severely overgrown, could not view.	None							Needs to be trimmed can't access gated area
OF-274	2019-08-12	DL									Full of dirt
OF-135	2019-08-13	DL		None	No						
OF-26	2019-08-13	DL	Good amount of sediment in pipe	None	No				Algae		
OF-86	2019-08-13	DL		None	No						Very high on the rock face
OF-24	2019-08-13	DL	Perfect condition	None	No						
OF-23	2019-08-13	DL		None	No						Directly across from basin
OF-22	2019-08-13	DL	Directly across from drain, excellent condition	None	No						
OF-20	2019-08-13	DL	Pipe is hidden under rocks that do not disrupt drainage	None	No						
OF-25	2019-08-13	DL	Some sediment and mud buildup in opening								
OF-21	2019-08-13	DL	Excessive amount of Japanese knotweed make outfall in accessible								
OF-18	2019-08-13	DL	In need of maintenance overgrown								
OF-35	2019-08-30	DL	Water is rust colored	Moderate	Yes	2		Tea			
OF-114	2019-08-30	DL	Overgrown	None	No						
OF-115	2019-08-30	DL	Gate broken open, excessive vegetation	None	No						
OF-116	2019-08-30	DL	All pitfalls dump in fenced in area with forced open gate	None	No						
OF-102	2019-08-30	DL	In fenced in backyard	None	No						
OF-108	2019-08-30	DL		None	No						
OF-107	2019-08-30	DL	A lot of erosion	None	No						
OF-106	2019-08-30	DL	Safe to assume during heavy rain this outfall has quite heavy flow due to the obvious path the water takes towards river	None	No						
OF-104	2019-08-30	DL	Very well maintained	None	No						
OF-111	2019-08-30	DL	Lots of sediment in front of drain. Lady who's house it's abuts is very nice but has very	None	No				Excessive Sediment		
OF-110	2019-08-30	DL		None	No						
OF-100	2019-08-30	DL		None	No						
OF-130	2019-08-30	DL		None	No						
OF-138	2019-08-30	DL	Lots of rose bushes	None	No						
OF-155	2019-08-30	DL		None	No						
OF-156	2019-08-30	DL		None	No				Excessive Sediment		
OF-98	2019-08-30	DL	Very large	None	No						
OF-125	2019-08-30	DL		None	No						
OF-140	2019-08-30	DL	On the opposite side of the road as shown in map	None	No						
OF-285	2019-08-30	DL	Difficult to see due to excessive vegetation looks poorly maintained	None	No						
OF-91	2019-08-30	DL	Much more towards street then shown	None	No						
OF-37	2019-08-30	DL	In front yard	None	No						
OF-129	2019-08-30	DL	Trickle from pipe; pond level high	Trickling	No						
OF-157	2019-08-30	DL		Trickling	No						
OF-117	2019-08-30	DL	Excessive vegetation same broken fenced in area								
OF-103	2019-08-30	DL	Unable to locate								
OF-124	2019-08-30	DL	Brush and tree limbs make it inaccessible, very steep incline								
OF-93	2019-08-30	DL	Could not locate excessive vegetation								
OF-36	2019-08-30	DL	Couldn't locate believed to be in yard clippings pile								
OF-152	2019-10-02	DL	not accessible from road but easily accessible if you go through the yard next to it	None	No						
OF-154	2019-10-02	DL	Logs cinderblocks and dented pipe	None	No						
OF-153	2019-10-02	DL	Lots of leaves	None	No				Excessive Sediment		
OF-132	2019-10-02	DL	A lot of dirt in mouth of pipe	None	No				Excessive Sediment		
OF-132	2019-10-02	DL	Not sure which pipe so I pictured both	None	No						
OF-149	2019-10-02	DL	Pipe rusted on end	None	No						
OF-200	2019-10-02	DL	Nice	None	No						
OF-199	2019-10-02	DL	Rotted	None	No						
OF-143	2019-10-02	DL	Very good condition	None	No						
OF-145	2019-10-02	DL	Beyond the backyard of house	None	No						
OF-144	2019-10-02	DL	About 50ft down driveway to left	None	No				Excessive Sediment		
OF-89	2019-10-02	DL	No visible pipe looks like just an opening	None	No						
OF-90	2019-10-02	DL	Alot of leaves	None	No						
OF-141	2019-10-02	DL	Easily accessible well kept	None	No						
OF-264	2019-10-02	DL	On the right side of the road	None	No						
OF-38	2019-10-02	DL	Big extension on outlet	None	No						
OF-34	2019-10-02	DL	Directly across from basin	None	No						
OF-45	2019-10-02	DL	Rocks are very slick	None	No						
OF-46	2019-10-02	DL	Bricks near opening	None	No						
OF-48	2019-10-02	DL		None	No						
OF-266	2019-10-02	DL	Right behind cream colored house	None	No						
OF-133	2019-10-02	DL	Pipe broken	Trickling	No						
OF-150	2019-10-02	DL	Unaccessible								
OF-139	2019-10-02	DL	Couldn't locate either								
OF-92	2019-10-02	DL	Dense vegetation								
OF-54	2019-10-02	DL	All In gated in yard								
OF-78	2019-10-15	DL		None	No						
OF-80	2019-10-15	DL	It's had like a rubber liner inside	None	No						
OF-79	2019-10-15	DL	Next to 80	None	No						
OF-81	2019-10-15	DL	Looks to be in need of repair	None	No						
OF-82	2019-10-15	DL		None	No						
OF-83	2019-10-15	DL	Down steep embankment	None	No						
OF-84	2019-10-15	DL	Might need repair	None	No						
OF-69	2019-10-15	DL		None	No						
OF-85	2019-10-15	DL		None	No						
OF-269	2019-10-15	DL	Down stream has a lot of trash	None	No						
OF-270	2019-10-15	DL	Not even trickling just wet	None	No						
OF-88	2019-10-15	DL		None	No						

OF-42	2019-10-15	DL		None	No						
OF-49	2019-10-15	DL		None	No						
OF-50	2019-10-15	DL	Tampered with	None	No						
OF-51	2019-10-15	DL	Down the driveway about 75 feet and to left	None	No						
OF-52	2019-10-15	DL	Pipe under rock	None	No						
OF-212	2019-10-15	DL	Blocked with a rock	None	No						
OF-206	2019-10-15	DL		None	No						
OF-211	2019-10-15	DL		None	No						
OF-209	2019-10-15	DL	Road has significant cracks where pipe runs underneath	None	No						
OF-198	2019-10-15	DL	Full of mud	None	No				Excessive Sediment		
OF-194	2019-10-15	DL		None	No						
OF-195	2019-10-15	DL		None	No						
OF-181	2019-10-15	DL		None	No						
OF-177	2019-10-15	DL	Almost completely covered	None	No						
OF-176	2019-10-15	DL	Covered almost completely	None	No						
OF-169	2019-10-15	DL		None	No						
OF-192	2019-10-15	DL	Light trickle	Trickling	No						
OF-173	2021-01-19	DL	Solid flow, waters crystal clear	Moderate			Color (Water)				
OF-196	2021-01-19	DL	Following the driveway all the way leads to a small path to access the outfall	Moderate	No		Algae Color (Water)	Light Green	Algae		A lot of moss on the rocks giving water a greenish color
OF-166	2021-01-19	DL	Down the embankment, couldn't get super close to it	Moderate	No						
OF-165	2021-01-19	DL	Looks to be in very good condition	Moderate	No						
OF-160	2021-01-19	DL	Hard to access due to thorn bushes	Moderate	No		Color (Water)	Orange	Color (Water)	Orange	
OF-176	2021-01-19	DL	In between the driveways, concrete pipe	None	No						
OF-171	2021-01-19	DL	Outfall is completely covered in debris and dead plants. Looks like someone's dumped there lawn clippings there for some time,	None	No		Excessive Vegetation				
OF-177	2021-01-19	DL	Pipe is about half full with sediment, surrounded by thorn bushes	None	No		Excessive Sediment Excessive Vegetation				
OF-170	2021-01-19	DL	Pipe as about half full of leaves. Looks like it had decent flow	None	No						
OF-169	2021-01-19	DL	Completely covered in leaves and some small logs	None	No						
OF-172	2021-01-19	DL	No flow but in good condition	None	No						
OF-167	2021-01-19	DL	Slow trickle out of the pipe, looks like the overall flow has been good	None	No						
OF-191	2021-01-19	DL	It looks like a pipe not installed by us. The gravel road looks relatively new	None	No						
OF-188	2021-01-19	DL	Walk through the yard and behind the small decorative trees. A pipe from the house number 10 dumps into the same run off	None	No						
OF-189	2021-01-19	DL	Storm drain and outfall I need of repair, traffic cone placed over top	None	No						
OF-226	2021-01-19	DL	Someone dumped bushes where the pipe should be	None	No						
OF-158	2021-01-19	DL		None	No						
OF-162	2021-01-19	DL	Cut up telephone poles and a small tree in the mouth of the outlet	None	No						
OF-66	2021-01-19	DL	The concrete pipe is covered in large rocks; water is able to flow out but it is about at	None	No						
OF-159	2021-01-19	DL	Bunch of leaves in the area but not stopping the flow	None	No						
OF-62	2021-01-19	DL	Down the embankment, proceeded with caution lots of loose rocks	None	No						
OF-63	2021-01-19	DL	Good shape	None	No						
OF-175	2021-01-19	DL	Surrounded by dead knotweed very easy to access, down the path and to the right	Trickling	No						
OF-174	2021-01-19	DL	A good ways into the yard. Walking along the property edge until nearly in the back yard and its on the other side of the small dirt mound.	Trickling	No						
OF-161	2021-01-19	DL	To get to the outfall you need to walk about 100ft until you reach the shipping containers which they are behind	Trickling	No		Excessive Sediment		Excessive Sediment		A lot of sediment in the outlets
OF-183	2021-01-19	DL	Couldn't quite reach due to an excessive amount of thorns	Trickling	No						
OF-65	2021-01-19	DL	If you follow the white pipe at the street it follows perfectly at a 45 degree angle	Trickling	No						
OF-59	2021-01-19	DL	Full of sediment and looks partly crushed.	Trickling	No						
OF-67	2021-01-19	DL	Lots of leaves and setiment	Trickling	Yes	4	Excessive Sediment		Excessive Sediment		
OF-60	2021-01-19	DL	If you walk through the field to the tree grouping it's up high and trickling into the basin	Trickling	No						
OF-61	2021-01-19	DL	Seems to be slightly covered with rocks but is still flowing	Trickling	Yes						
OF-186	2021-01-19	DL	Not the easiest to access		No						
OF-189	2021-01-19	DL	Also in need of repair. Over all rough shape								
OF-190	2021-01-19	DL	In need of repair								
OF-64	2021-01-19	DL	I believe the outfall is in this pile of leaves and wood								
OF-81	2021-06-15	DL	Pipe is broken and wall is following over	None	No				Excessive Sediment		
OF-82	2021-06-15	DL	Outlet is good shape alot of leaves		No		Excessive Sediment		Excessive Sediment		
OF-19	2021-06-16	DL RY	In excellent shape	None	No						
OF-30	2021-06-16	RY	Good shape.	None	No						
OF-31	2021-06-16	RY		None							Erosion
OF-28	2021-06-16	RY	1/4 of pipe closed, needs clean up.	None							Erosion at structure. Pipe needs to be cleaned out.
OF-33	2021-06-16	RY	Good condition	None							
OF-39	2021-06-16	RY		None							Leaves need to be removed
OF-11	2021-06-16	RY		None							Good condition
OF-10	2021-06-16	RY		None							Fair condition
OF-32	2021-06-16	RY		None							
OF-6	2021-06-17	RY		None							Good condition
OF-7	2021-06-17	RY		None							Good condition
OF-8	2021-06-17	RY		None					Excessive Vegetation		Debris
OF-2	2021-06-17	RY		None							Good
OF-15	2021-06-17	RY		None							Good
OF-5	2021-06-17	RY		None							Good
OF-68	2021-06-17	RY		None							Good
OF-9	2021-06-17	RY		Trickling							Good
OF-57	2021-06-17	RY		Trickling							Good
OF-70	2021-06-21	RY	Corner of Hartwell St.	Moderate							Good
OF-72	2021-06-21	RY		None							Good
OF-73	2021-06-21	RY		None							Good
OF-112	2021-06-21	RY		None							Good
OF-109	2021-06-21	RY		None							Good
OF-118	2021-06-21	RY		None							Good
OF-251	2021-06-22	RY		Moderate							Good
OF-101	2021-06-22	RY		None							Good
OF-97	2021-06-22	RY		None							
OF-278	2021-06-22	RY		None							
OF-74	2021-06-22	RY		None							Good
OF-243	2021-06-22	RY		None							Good
OF-249	2021-06-22	RY		None							Good
OF-242	2021-06-22	RY		None							Good

OF-240	2021-06-22	RY		None							Good
OF-184	2021-06-22	RY		None							Good
OF-185	2021-06-22	RY		None							Good
OF-255	2021-06-22	RY		Trickling							Good
OF-168	2021-06-24	RY		None							Good
OF-187	2021-06-24	RY		None							Good
OF-193	2021-06-24	RY		None							Good
OF-163	2021-06-24	RY		None							Good
OF-164	2021-06-24	RY		None							Good
OF-182	2021-06-24	RY		None							Good
OF-279	2021-06-24	RY		None							Good
OF-105	2021-09-22	RY		None			Excessive Sediment				Did not see the pipe - lots of rocks
OF-75	2021-09-22	RY		None							Good
OF-76	2021-09-22	RY		None							Could not find pipe.
OF-178	2021-09-22	RY		None							Fair
OF-179	2021-09-22	RY		None							
OF-259	2021-09-22	RY		Trickling							Good